

ILS Laboratories

8222 Vickers St, Suite 106, San Diego, CA 92111
(619) 329-3999 | ils-lab.com

Selank - 10mg

PASS



Tested for: NextGen Peptides
www.NGpeptide.com

COA #: COA-2026-U0J8P4
Lot Number: SL05
Accession #: ACC-2026-0673
Concentration: 10mg

Method: Full QC Panel
Analysis Date: 04/16/2026
Appearance: Good
Volume: 3mL
Received: 04/08/2026



Scan to verify
authenticity at ils-lab.com

Identity

Selank

Purity

99.68%


Full QC Panel

Analyte	Specification	Result	Unit	Status
Purity (HPLC)	>= 95.0%	99.68%	%	PASS
Net Peptide Content	Report Only	10.47	mg	N/A

Purity & Quant (HPLC)

Analyte	Specification	Result	Unit	Status
Identity (ID)	Selank	Confirmed	-	PASS

HPLC Chromatogram



Selank 10mg - SL05: UV Chromatogram



Handwritten signature

Dr. Greg Kalyuzhny
Lab Director
4/18/2026

COA #: COA-2026-U0J8P4
Access Code: F5QWZEJU
Verify: portal.ils-lab.com/verify/m6aMu4h-c5fPtxoS
Issued: 4/18/2026

ILS Laboratories

8222 Vickers St, Suite 106, San Diego, CA 92111
(619) 329-3999 | ils-lab.com

Selank - 10mg

PASS**Tested for: NextGen Peptides**www.NGpeptide.com

COA #: **COA-2026-U0J8P4**
Lot Number: **SL05**
Accession #: **ACC-2026-0673**
Concentration: **10mg**

Method: **Full QC Panel**
Analysis Date: **04/16/2026**
Appearance: **Good**
Volume: **3mL**
Received: **04/08/2026**



Scan to verify
authenticity at ils-lab.com

Heavy Metals Analysis (ICP-MS)

Test	Specification	Result	Status
Arsenic (As)	NMT 1.5 ppm	Not Detected	PASS
Cadmium (Cd)	NMT 0.5 ppm	Not Detected	PASS
Chromium (Cr)	NMT 10 ppm	Not Detected	PASS
Mercury (Hg)	NMT 1.5 ppm	Not Detected	PASS
Lead (Pb)	NMT 1 ppm	Not Detected	PASS

Sterility Testing (PCR)

Test	Specification	Result	Unit	Status
Sterility (PCR)	No Growth	No Growth	-	PASS

Endotoxin Testing (USP <85>)

Test	Specification	Result	Unit	Status
Endotoxin (USP <85>)	< 0.05 EU/mL	NMT 0.05 EU/mL		PASS

Notes & Methodology

- Date Tested: 04/16/2026. Methods: Full QC Panel; Purity & Quant (HPLC).
- The sample was confirmed to be Selank by HPLC. Identification by chromatographic retention time comparison with a reference standard.
- Elemental impurities analyzed by ICP-MS per USP <233> methodology. Acceptance criteria are internal laboratory quality screening limits for research-use materials and do not represent evaluation against any specific pharmacopeial monograph or route-of-administration standard.



Dr. Greg Kalyuzhny
Lab Director
4/18/2026

COA #: **COA-2026-U0J8P4**
Access Code: **F5QWZEJU**
Verify: portal.ils-lab.com/verify/m6aMu4h-c5fPtxoS
Issued: 4/18/2026