

ILS Laboratories

8222 Vickers St, Suite 106, San Diego, CA 92111
(619) 329-3999 | ils-lab.com

Tesamorelin / Ipamorelin - 10mg / 3mg

PASS



Tested for: NextGen Peptides
www.NGpeptide.com

COA #: COA-2026-DFNUMX
Lot Number: TS;PA-1736
Accession #: ACC-2026-0687
Concentration: 10mg / 3mg
Sample Matrix: Lyophilized

Method: Full QC Panel
Analysis Date: 04/16/2026
Appearance: Good
Volume: 3mL
Received: 04/08/2026



Scan to verify
authenticity at ils-lab.com

Identity

Tesamorelin / Ipamorelin

Purity

99.98%

Full QC Panel

Analyte	Specification	Result	Unit	Status
Purity (HPLC)	>= 95.0%	99.98%	%	PASS
Net Blend Peptide Content	Report Only	13.65	mg	N/A
Identity (ID)	Tesamorelin; Ipamorelin	Confirmed	-	PASS

HPLC Chromatogram



Representative chromatogram, Conformity V3 (99.95% purity, closest to batch mean of 99.95%)

HPLC Conformity Testing Results (4 samples tested)

Sample	Purity	NPC	ID	Result
Dedicated V0	99.93%	13.64 mg	Confirmed	PASS
Conformity V1	99.93%	13.64 mg	Confirmed	PASS
Conformity V2	99.98%	13.65 mg	Confirmed	PASS
Conformity V3	99.95%	13.64 mg	Confirmed	PASS
Mean	99.95%	13.64 mg	—	—
Std Dev	0.0205%	0.0043 mg	—	—



Dr. Greg Kalyuzhny

Dr. Greg Kalyuzhny
Lab Director
4/16/2026

COA #: COA-2026-DFNUMX
Access Code: -FJWGSYV
Verify: portal.ils-lab.com/verify/FHfe_0_0m12Dch_H
Issued: 4/16/2026

ILS Laboratories

8222 Vickers St, Suite 106, San Diego, CA 92111
(619) 329-3999 | ils-lab.com

Tesamorelin / Ipamorelin - 10mg / 3mg

PASS**Tested for: NextGen Peptides**www.NGpeptide.com

COA #: **COA-2026-DFNUMX**
Lot Number: **TS;PA-1736**
Accession #: **ACC-2026-0687**
Concentration: **10mg / 3mg**
Sample Matrix: **Lyophilized**

Method: **Full QC Panel**
Analysis Date: **04/16/2026**
Appearance: **Good**
Volume: **3mL**
Received: **04/08/2026**



Scan to verify
authenticity at ils-lab.com

Heavy Metals Analysis (ICP-MS)

Test	Specification	Result	Status
Arsenic (As)	NMT 1.5 ppm	Not Detected	PASS
Cadmium (Cd)	NMT 0.5 ppm	Not Detected	PASS
Chromium (Cr)	NMT 10 ppm	Not Detected	PASS
Mercury (Hg)	NMT 1.5 ppm	Not Detected	PASS
Lead (Pb)	NMT 1 ppm	Not Detected	PASS

Sterility Testing (PCR)

Test	Specification	Result	Unit	Status
Sterility (PCR)	No Growth	No Growth	-	PASS

Endotoxin Testing (USP <85>)

Test	Specification	Result	Unit	Status
Endotoxin (USP <85>)	< 0.05 EU/mL	NMT 0.05 EU/mL		PASS

Notes & Methodology

- Date Tested: 04/16/2026. Methods: Full QC Panel.
- The sample was confirmed to be Tesamorelin / Ipamorelin by HPLC. Identification by chromatographic retention time comparison with a reference standard.
- Elemental impurities analyzed by ICP-MS per USP <233> methodology. Acceptance criteria are internal laboratory quality screening limits for research-use materials and do not represent evaluation against any specific pharmacopeial monograph or route-of-administration standard.
- Chromatogram shown is representative: Conformity V3 (99.95% purity, closest to batch mean of 99.95%).



Dr. Greg Kalyuzhny
Lab Director
4/16/2026

COA #: **COA-2026-DFNUMX**
Access Code: **-FJWGSYV**
Verify: portal.ils-lab.com/verify/FHfe_0_0m12Dch_H
Issued: 4/16/2026